

Jurnal Pendidikan Islam xx (x) (xxxx) xxx - xxx DOI: https://doi.org/ http://journal.uinsgd.ac.id/index.php/jpi

p-ISSN: 2355-4339 e-ISSN: 2460-8149

COMPUTATIONAL THINKING SKILL AND MATHEMATICS PROBLEM SOLVING USING FLOWGORITHM: AN EXPERIMENT WITH EIGHT-GRADE STUDENTS OF MADRASAH TSANAWIYAH

I Made Suarsana¹, Tatang Herman¹, Elah Nurlaelah^{1*}, Didi Suryadi¹, Irianto², Al Jupri¹, Asep Bayu Dani Nandiyanto³, Zulkaidah Nur Ahzan⁴

- ¹ Department of Mathematics Education, Universitas Pendidikan Indonesia, Bandung, Indonesia
- ² Department General Education, Rabdan Academy, Abu Dhabi, United Arab Emirates
- ³ Department of Chemistry, Universitas Pendidikan Indonesia, Bandung, Indonesia
- ⁴ Mathematics Education Study Program, Universitas Timor, Nusa Tenggara Timur, Indonesia Email Corresponding Author: elah_nurlaelah@upi.edu

Received: Accepted: Online First: Published:

ABSTRACT

This study aimed to evaluate the effect of using a Flowgorithm on computational thinking and mathematical problem-solving abilities. The research employed a quasi-experimental design with a prepost test control group. The research was conducted in two phases: the programming phase and the mathematical phase. The research population consisted of all 8th-grade students from Madrasah Tsanawiyah in Bali Province, Indonesia, with sampling conducted using a cluster random sampling technique. The sample size was 34 students (14 students in the control group, 20 students in the experiment group). Data on computational thinking and problem-solving abilities are collected using tests. Data analysis used MANCOVA, followed by a post hoc test, and the effect size was described using the partial eta squared coefficient. The results show that there are significant differences between the two groups. The results of the post hoc test showed that the post hoc test results indicated that mathematics learning assisted by Flowgorithm significantly influenced computational thinking abilities. At the same time, no differences were observed in problem-solving abilities. Although the effect on mathematical problem-solving abilities was not significant, no negative impact was found from integrating Flowgorithm. These findings have implications for integrating computational thinking concepts in the curriculum and/or mathematics learning.

Keywords: Computational Thinking, Flowgorithm, Problem-Solving, Programming, Islamic School

INTRODUCTION

The significance of computational thinking (CT) abilities in 21st-century life skills has been widely recognized (Haseski et al., 2018). CT is a skill essential for individuals to succeed in global competition; therefore, efforts should be made to integrate CT in schools (Miterianifa et al., 2021). Therefore, the CT concept, initially developed in computer science, needs to be adapted and expanded to the field of education, especially learning in schools. Initially, Jeannette Wing defined CT as a thinking process for formulating problems and solutions, representing them effectively through information processing agents (Varela et al., 2019). After that, the definition of CT developed rapidly and tended to diverge. A unique CT framework for mathematics learning was revealed by Weintrop et al. (2015), who divided CT into four categories: data practices, modeling and simulation practices, computational problem-solving practices, and systems thinking practices. Concerning the CT capability aspect, Selby and Woollard (2014) and Hoyles and Noss (2015) break it down into four aspects, also known as PRADA (pattern recognition, abstraction, decomposition, algorithm). The current research trend in CT integration for mathematics teaching utilizes the PRADA framework (Irawan et al., 2024).

Other trends in CT research within mathematics education were further unveiled by Ye et al. (2023) through a systematic literature review. Their findings indicated that a common intervention to foster CT in math education is the inclusion of programming activities. The current potential for integrating programming tasks into school curricula, particularly within junior high school mathematics education, presents a significant opportunity to enhance CT skills and mathematical performance (Chan et al., 2022), particularly in the context of problemsolving (Robins et al., 2003; Ye et al., 2023). Prior researchers had undertaken various studies on incorporating programming into math education. Cameto et al. (2019) and Carboni et al. (2018) (Zeng et al., 2023) integrated the MateFun programming language into function learning in junior high schools, noting no substantial difference in math abilities compared to traditional methods, yet students gained fundamental programming knowledge. MateFun, a text-based language utilizing function commands as primary computing units, was employed. Yuana et al. (2015) demonstrated that blending science-based programming with virtual robots in 10th-grade math classes facilitates the comprehension of math concepts while introducing programming principles. Park and Manley (2024) observed that text-based programming integration enhanced 11th-grade students' grasp of mathematical concepts. Iwamoto and Matsumoto (2019) found that utilizing a visual block editor in junior high math education significantly improved math learning outcomes. Furthermore, Spencer et al. (2023) discovered that integrating visual programming languages into elementary math education could enhance student engagement with mathematical concepts, support problem-solving and reasoning skills, and encourage mathematical discourse.

Overall, previous research demonstrated that integrating programming into mathematics education, whether visual-based or text-based, did not negatively influence it. Furthermore, a significant benefit was the early introduction of computational thinking concepts. Literature reviews indicated that research on programming integration in junior high school mathematics had predominantly involved visual or block-based programming (Karaliopoulou et al., 2018; Ye, et al., 2023; Yi and Lee, 2018), such as Scratch (Park and Shin, 2022). Visual programming tools like Scratch appealed to school-aged students, as they made learning enjoyable; however, challenges could arise in transitioning from visual to text-based coding skills (Yadav et al., 2016; Montiel & Gomez-Zermeño, M. G, 2021). Text-based programming languages were preferred for developing coding skills, although they were often considered complex for students at the school level (Weintrop and Wilensky, 2017). Flowgorithm, a user-friendly graphical flowchart-based programming language for beginners (Gajewski and Smyrnova-Trybulska, 2018), served as a potential solution for bridging the gaps between visual and text-based programming (Xu et al., 2019). Students could focus on programming concepts through flowcharts, facilitating a smoother transition to actual coding (Zhang et al., 2021). Additionally, flowcharts created could be directly converted into over 18 languages, including C#, C++, Java, JavaScript, Lua, Perl, Python, Ruby, Swift, Visual Basic .NET, and VBA.

The integration of Flowgorithm, a combination of block-based and text-based programming, in mathematics learning has been an area of research that has received limited attention. Studies on the effectiveness of using flowchart programming were mainly conducted in computer science to introduce programming concepts and enhance problem-solving abilities (Hooshyar et al., 2015). Flowgorithm has been demonstrated as an effective tool in programming classes for presenting algorithms and their results (Gajewski and Smyrnova-Trybulska, 2018), clearly distinguishing between programming (creating algorithms) and coding (translating algorithms into specific programming languages). To bridge this gap, the present study aimed to explore the integration of Flowgorithm into mathematics learning within the unique context of Madrasah Tsanawiyah (MTs), investigating its potential impact on both

computational thinking and mathematical problem-solving abilities, areas that had received limited attention in prior research. Consequently, a quasi-experimental study was carried out with a population of grade 8 students, specifically targeting students from MTs in Bali Province. These MTs are formal schools that focus on Islamic education, equivalent to junior high level, resembling public schools with Islamic characteristics (Maryati et al., 2023). No previous studies have investigated the integration of programming into mathematics learning at Islamic boarding schools. Hence, the novelty of this research lies in integrating hybrid programming into mathematics education and involving research subjects from formal schools with Islamic characteristics. Another novel aspect examined the influence of programming integration on mathematical problem-solving abilities. Prior research had only revealed the impact of programming activities on general mathematics performance, including understanding mathematical concepts and processes, interest in mathematics (Goldenberg & Carter, 2021), and self-efficacy (Chiang et al., 2022). Despite indications from Kuen (2011) that programming activities had the potential to develop problem-solving skills, no experimental research had explicitly examined the effect of programming activities on problem-solving abilities

METHOD

The research involved all grade 8 students from 36 MTs in Bali Province. Using a simple cluster random sampling technique, the researchers randomly selected two classes from all existing 8th-grade classes, resulting in a sample of 2. These classes were from MTS Mambaus Sholihin Jembrana, comprising 18 students, and MTs Kalifa Nusantara, Denpasar, with 26 students in the 8th grade. Subsequently, randomization was conducted to assign participants to the control and experimental groups. Initially comprising 44 participants, there was a loss of 10 participants whose data had to be excluded as they did not engage fully in the research phase. Consequently, the research samples comprised the control group from Class 8 MTS Mambaus Sholihin with 14 members (six males, eight females) and the experimental group from MTs Kalifa Nusantara with 20 members (7 males, 13 females). Neither group possessed prior knowledge or skills in programming with Flowgorithm.

The research design for this study involved a quasi-experimental approach with two phases implemented in both the experimental and control groups. More details are presented in Figure 2. The first stage, the programming phase, involved acquiring fundamental knowledge and skills necessary for programming using Flowgorithm. This phase was administered to both groups, each lasting 90 minutes, totaling three sessions. The CT concepts covered in this phase included basic sequences, loops, iteration, conditionals, functions, and variables (Román-González et al., 2017). These CT concepts were deemed suitable for students aged 12-14 years (grades 7 and 8) (Tsarava et al., 2022) and were aligned with the CT framework proposed by Brennan and Resnick (2012) as well as the computer science standards for grades 6-9 established by the Computer Science Teachers Association (Seehorn et al., 2011).




Figure 1. Research Procedure

In the second phase, known as the mathematics phase, the emphasis shifted to problem-solving tasks utilizing Flowgorithm as an instructional aid. Students participated in 3 sessions dedicated to solving problems related to straight-line equations, aligning with the learning objectives outlined in the Indonesian curriculum. Session 1 focused on determining the gradient of a straight line. Session 2 involved solving problems to establish the relationship between two straight lines. In Session 3, students engaged in problem-solving exercises to identify the equation of a straight line.

In contrast to the first phase, the second phase involved distinct treatments for the experimental and control groups. The experimental group utilized a Flowgorithm to tackle assigned tasks, whereas the control group completed the tasks without the aid of a Flowgorithm, relying on traditional tools like paper and pencil. Each session occurred twice a week.

Before the programming phase, both groups underwent a pre-test to evaluate their initial CT skills. Similarly, before the commencement of the mathematics phase, students also took a pre-test to gauge their initial mathematical problem-solving abilities. All assessments conducted in this study lasted 60 minutes and co-occurred for both groups. At the end of the second phase, both groups of students participated in two post-tests to assess their CT and mathematical problem-solving abilities. Contrasting the pre-test and post-test results will enable an analysis of the progress in acquiring CT concepts and mathematical problem-solving skills under each experimental condition.

The study utilized two instruments: a CT test and a mathematics problem-solving test. The CT test, adapted from Román-González et al. (2017), comprised 14 multiple-choice items targeting seven computing concepts, including loops, conditionals, and simple functions, designed for grade 7 and 8 students. The test demonstrated validity (0.27 < r < 0.44) and reliability (Cronbach's Alpha α = 0.793), with items arranged by increasing difficulty. Equivalent pre-test and post-test versions were administered online via Google Forms, differing only in question descriptions while maintaining consistent difficulty levels. The mathematics problem-solving test focused on straight-line equations and comprised four multiple-choice questions with four answer options. Two versions of the same test with identical structures and features

were administered for both the pre-test and post-test. The researcher developed the problemsolving ability tester and underwent validation by experts, alongside field trials that confirmed the validity of the items (0.378 < r < 0.9233) and a Cronbach's Alpha reliability of α = 0.760. Additionally, the test included a Certainty of Response Index (CRI) questionnaire to distinguish between students who misunderstood the problem and those who did not comprehend it (Putri et al., 2021). Students were required to indicate their confidence level in each response, ranging from 100% guessing to 100% certainty.

Data analysis was performed on post-test score data with pre-test scores used as covariates through multivariate analysis of covariance (MANCOVA). MANCOVA was selected because it provided a stronger hypothesis test compared to analysis of variance (Dugard and Todman, 1995). The MANCOVA calculations were carried out using the IBM SPSS Statistics 29.0.1.0 application, employing general linear model multivariate statistics with Bonferroni correction. Effect size was calculated using Cohen's formula (d) and partial eta squared statistics (η_p^2). Effect size interpretation, based on Cohen's d and partial eta squared (η_p^2), is categorized as negligible ($0 < d < 0.2, 0 < \eta_p^2 < 0.01$), small ($0.2 < d \le 0.5, 0.01 < \eta_p^2 \le 0.06$), medium ($0.5 < d \le 0.8, 0.06 < \eta_p^2 \le 0.14$), and large ($d > 0.8, \eta_p^2 > 0.14$)(Gignac & Szodorai, 2016; Stephen & Rockinson-Szapkiw, 2021).

RESULTS AND DISCUSSION

The pre-test and post-test results for each aspect of the CT concept are displayed in Table 1. The optimal maximum score for each aspect of the CT Concept was 20, with 140 being the ideal maximum score for the entire test. The scores for each CT concept showed that the more complex the concept, the lower the average score. This pattern was consistent in the pre-test and post-test for both the control and experimental groups. The average CT post-test scores for the control and experimental groups were 83.571 and 104.500, respectively. There was a descriptive increase in the CT score in each group compared to the pre-test score. Using Cohen's formula, the effect size (*d*) in the control group and experimental group was 0.489 (small) and 0.716 (medium), respectively. The improvement observed in the experimental group was notably larger in quantity and quality.

Both groups exhibited increased CT scores when analyzed based on the CT concept aspect. In the control group, the most significant increase in CT score was in the "loop repeat until" aspect, while the smallest increase was noted in the "basic direction and sequence" aspect. Conversely, in the experimental group, the most substantial increase in CT scores was seen in the "If simple conditional" aspect, with the smallest increase also occurring in the "basic direction and sequence" aspect. These results suggest that teaching basic CT concepts using Flowgorithm in Phase I could enhance students' CT abilities. Moreover, inferential statistics are required to evaluate the impact of various treatments in Phase II on CT capabilities.

Table 1. CT Pre-test and Post-Test Score

| | | Control | Group | Experiment Group | | | | |
|--------------------------------|----------|---------|-----------|------------------|----------|-------|-----------|-------|
| CT Concept | Pre-Test | | Post-Test | | Pre-Test | | Post-Test | |
| | Mean | SD | Mean | SD | Mean | SD | Mean | SD |
| Basic directions and sequences | 18.571 | 3.631 | 19.286 | 2.673 | 20.000 | 0.000 | 20,000 | 0,000 |
| Loops repeat times | 15.714 | 5.136 | 17.857 | 4.258 | 18.000 | 4.104 | 19,500 | 2,236 |
| Loops repeat until | 11.429 | 8.644 | 15.000 | 6.504 | 13.000 | 6.569 | 17,000 | 4,702 |
| If simple conditional | 9.286 | 6.157 | 11.429 | 6.630 | 11.000 | 7.182 | 16,500 | 4,894 |
| If/else complex conditional | 6.429 | 6.333 | 8.571 | 8.644 | 10.500 | 6.048 | 14,000 | 5,026 |
| While conditional | 5.000 | 5.189 | 7.857 | 5.789 | 7.500 | 5.501 | 10,000 | 6,489 |
| Simple functions | 2.857 | 4.688 | 3.571 | 4.972 | 6.000 | 5.982 | 7,500 | 6,387 |

| | | Control | Group | | Experiment Group | | | |
|-------------|----------|---------|-----------|--------|------------------|--------|-----------|--------|
| CT Concept | Pre-Test | | Post-Test | | Pre-Test | | Post-Test | |
| | Mean | SD | Mean | SD | Mean | SD | Mean | SD |
| Total | 69.286 | 31.736 | 83.571 | 26.489 | 86 | 29.629 | 104.500 | 21.392 |
| Cohen's (d) | 0.489 | | | | 0.716 | | | |

The results of the pre-test and post-test assessments of problem-solving abilities in the straight-line equation material have been outlined in Table 2. The optimal maximum score for each problem-solving item was 10, with the total test score ideally reaching 40. Upon reviewing the scores per indicator, it became evident that many students encountered challenges when solving problems related to determining points on a line with a known gradient/equation. This pattern was consistent in both the pre-test and post-test assessments for both the control group and the experimental group. The average post-test scores for problem-solving in the control group and experimental group were 22.857 and 27.000, respectively. Descriptively, there was an increase in problem-solving ability scores in each group compared to the pre-test results.

The effect size in the control group was d=1.022 (large), while in the experimental group, it was d=1.301 (large). Quantitatively, the effect size in the experimental group exceeded that of the control group, although both groups fell within the "large" effect size category. The problem-solving test scores improved in both groups for each question item, indicating that problem-solving activities using both Flowgorithm and traditional methods can enhance students' problem-solving abilities. Inferential statistics are essential to ascertain which treatments can significantly impact the development of problem-solving skills.

Table 2. Mathematics Problem Solving Pre-test and Post-Test Score

| Table 2. Mathem | Control Group | | | | Experiment Group | | | |
|------------------------------------|---------------|-------|--------|-----------|------------------|----------|--------|-------|
| Problem-Solving Indicator | Pre- | Γest | Post- | Post-Test | | Pre-Test | | Test |
| | Mean | SD | Mean | SD | Mean | SD | Mean | SD |
| Determine the equation of a | | | | | | | | |
| straight line if the gradient and | 0.714 | 2.673 | 3.571 | 4.972 | 1.500 | 3,663 | E E00 | 5.104 |
| the point through which it | 0./14 | 2.075 | 3.3/1 | 4.9/2 | 1.300 | 3.003 | 5.500 | 3.104 |
| passes are known. | | | | | | | | |
| Determine the point through | | | | | | | | |
| which a line passes if the | 0.714 | 2.673 | 1.429 | 3.631 | 0.500 | 2.236 | 2.500 | 4.443 |
| gradient/equation is known | | | | | | | | |
| Determine the gradient of a line | | | | | | | | |
| if the magnitude of the change | 7 1 42 | 4.600 | 10.000 | 0.000 | (F00 | 4.004 | 0.000 | 2.070 |
| in the horizontal and vertical | 7.143 | 4.688 | 10.000 | 0.000 | 6.500 | 4.894 | 9.000 | 3.078 |
| directions is known | | | | | | | | |
| Determine the gradient | E 71 / | E 126 | 7.057 | 4.250 | 0.000 | 4.104 | 10.000 | 0.000 |
| relationship of two parallel lines | 5.714 | 5.136 | 7.857 | 4.258 | 8.000 | 4.104 | 10.000 | 0.000 |
| Total | 14.286 | 7.559 | 22.857 | 9.139 | 16.500 | 9.333 | 27.000 | 6.569 |
| Cohen's (d) | | 1.0 |)22 | | | 1.3 | 301 | |

The post-test instrument for assessing mathematical problem-solving abilities was also complemented with the CRI questionnaire. The results from the analysis, detailing accuracy and students' confidence levels, are presented in Table 3. In the control group, 12.50% of respondents provided correct answers with a high confidence level, while 30.36% offered incorrect answers with high confidence. This suggests that out of 100 respondents in the control group, 13 individuals comprehended and applied the straight line equation accurately, 31

misunderstood the concept, and the remaining 56 were unaware of the concept, often resorting to guesses in their responses.

Conversely, in the experimental group, 23.75% of respondents answered correctly with high confidence, and 28.75% answered incorrectly with high confidence. This indicates that out of 100 respondents in the experimental group, 24 grasped and effectively applied the concept in problem-solving, 29 misunderstood the concept, and 47 were unaware. The proportion of students exhibiting a correct understanding in the experimental group exceeded that of the control group, indicating that incorporating Flowgorithm in problem-solving activities facilitated a deeper understanding of concepts than traditional paper-and-pencil methods. Moreover, misconceptions among students in the experimental group were lower than in the control group. Utilizing flowgorithm programming in mathematical problem-solving activities proved to be more efficacious in mitigating misconceptions among students than conventional paper-and-pencil methods.

Table 3. Percentage of Respondents Based on Answer Criteria

| And | - | % Respondents | | | | | | |
|----------------|-----------------------|---------------|-----------|-----------|-----------|-------|--|--|
| Alls | swer Criteria | Problem 1 | Problem 2 | Problem 3 | Problem 4 | All | | |
| Control Group | | | | | | | | |
| True Answer | High CRI Value (>2.5) | 21,43 | 0,00 | 7,14 | 21,43 | 12,50 | | |
| | Low CRI Value (< 2.5) | 7,14 | 7,14 | 42,86 | 28,57 | 21,43 | | |
| Wrong Answer | Low CRI Value (< 2.5) | 35,71 | 50,00 | 28,57 | 28,57 | 35,71 | | |
| | High CRI Value (>2.5) | 35,71 | 42,86 | 21,43 | 21,43 | 30,36 | | |
| Experiment Gro | | | | | | | | |
| True Answer | High CRI Value (>2.5) | 30,00 | 15,00 | 35,00 | 15,00 | 23,75 | | |
| | Low CRI Value (< 2.5) | 15,00 | 20,00 | 25,00 | 10,00 | 17,5 | | |
| Wrong Answer | Low CRI Value (< 2.5) | 30,00 | 20,00 | 40,00 | 30,00 | 30 | | |
| | High CRI Value (>2.5) | 25,00 | 45,00 | 0,00 | 45,00 | 28,75 | | |

The descriptive outcomes mentioned above were subjected to significance testing for differences or effects using inferential statistics. Prior to conducting the MANCOVA inferential test, a prerequisite test was performed. In SPSS, a normality assessment was conducted on the residual variables of the CT post-test and mathematics problem-solving post-test using the Shapiro-Wilk test. The Shapiro-Wilk statistical value for the CT post-test residual variable was 0.977 with a significance of 0.673. Similarly, for the mathematics problem-solving post-test residual, the Shapiro-Wilk statistical value was 0.960 with a significance of 0.244. As both significance values were >0.05, it was concluded that the sample was drawn from a normally distributed population.

Subsequently, the homogeneity of the covariance matrix was assessed using Box's test as another prerequisite. The SPSS analysis indicated that Box's M value was 2.582, F = 0.800, df1=3, df2=50,117 with a significance of 0.494 > 0.05, signifying that the covariance matrix among groups was homogeneous. The third prerequisite involved testing the homogeneity of variance using Levene's test. The SPSS computations revealed that the F statistical value for the post-test variable was 0.002, a significance of 0.964, and for the mathematics problem-solving post-test variable, the F statistical value was 0.151 with a significance of 0.700. Given that both significance values were >0.05, it was inferred that the two population variances were homogeneous. Consequently, all prerequisite tests for the MANCOVA analysis were satisfied, leading to the subsequent testing of hypothesis H0.

- H0: There is no significant difference in the use of Flowgorithm on students' CT abilities and mathematical problem-solving skills after controlling for the pre-test covariate.
- H1: There is a significant difference in the use of Flowgorithm on students' CT abilities and mathematical problem-solving skills after controlling for the pre-test covariate.

The results of the MANCOVA test conducted using SPSS Statistics 29.0.1.0 with a general linear multivariate model approach are presented in Table 4.

Table 4. Multivariate Tests

| | Effect | Value | F | Hypothes is df | Error df | Sig. | Partial Eta Squared |
|-------|-----------------------|-------|-------|----------------|-------------|-------|------------------------|
| Group | Pillai's Trace | 0.256 | 4.988 | 2.000 | 29.000 | 0.014 | 0.256 |
| | Wilks' Lambda | 0.744 | 4.988 | 2.000 | 29.000 | 0.014 | 0.256 |
| | Hotelling's Trace | 0.344 | 4.988 | 2.000 | 29.000 | 0.014 | 0.256 |
| | Roy's Largest Root | 0.344 | 4.988 | 2.000 | 29.000 | 0.014 | 0.256 |

The Wilks' Lambda statistic value is 0.744, and the effect size value. η_p^2 is 0.256 with a significance of 0.014, which is less than 0.05. Therefore, it can be concluded that using Flowgorithm has a significant impact on both computational thinking abilities and mathematical problem-solving, while controlling for initial abilities. The effect size, as indicated by the η_p^2 value is considered "large". The post hoc test utilized the Benferroni test to identify specific differences between groups individually. The outcomes of the Benferroni post hoc test are detailed in Table 5.

Table 5. Tests of Between-Subjects Effects

| Source | Dependent Variable | Type III Sum of Squares | df | Mean Square | F | Sig. | Partial Eta Squared |
|--------|-----------------------|-------------------------------|----|----------------|-------|------|---------------------------|
| Group | Computational | 425.913 | 1 | 425.913 | 6.523 | 0.01 | 0.179 |
| | Thinking Post-test | | | | | 6 | |
| | Mathematics | 59.900 | 1 | 59.900 | 2.219 | 0.14 | 0.069 |
| | Problem Solving | | | | | 7 | |
| | Post-test | | | | | | |

The results of the Tests of Between-Subjects Effects on each dependent variable indicated that the utilization of Flowgorithm in mathematics education had a significant impact on CT abilities (F = 6.523, $\rho = 0.016$, $\eta_p^2 = 0.179$) but did not yield a significant effect on mathematical problem-solving abilities (F = 2.219, $\rho = 0.147$, $\eta \rho^2 = 0.069$). The effect size of employing Flowgorithm for each dependent variable was assessed using the partial eta squared value as outlined in Table 1. The effect size for CT ability due to Flowgorithm implementation fell in the "large" category, whereas for mathematical problem-solving ability, it was "medium". Therefore, although the statistical significance of Flowgorithm's impact on problem-solving abilities was not established, the descriptive assessment indicated a "medium" level of influence.

The results showed that the use of a Flowgorithm in mathematics learning significantly influenced the CT abilities of grade VIII MTs students, but it did not significantly affect their ability to solve mathematical problems. Although it did not significantly improve problemsolving abilities, this study still provides valuable insights into integrating programming activities

into mathematics learning. Furthermore, the research findings are elaborated through in-depth analysis, interpretations based on relevant theories, and comparisons with previous studies to identify consistencies and differences.

The significant increase in CT ability in the experimental group demonstrates the effectiveness of using Flowgorithm in supporting mathematics learning. The average CT ability score in classes that integrated Flowgorithm in mathematics learning (M = 104.50) was higher than the average CT ability score in mathematics classes that did not use Flowgorithm (M =83.57). The large effect size ($\eta \rho^2 = 0.179$) falls into the "large" category. The results of the multivariate post hoc test, as shown in Table 5, yielded an F value of 6.523 and a significance value of $\rho = 0.016$, which indicates a significant difference in students' CT ability between mathematics classes that used Flowgorithm and those that did not. These results can be attributed to the fact that integrating Flowgorithm facilitates students' understanding of concepts in a more structured and systematic manner through an interactive visual approach. This allows key aspects of CT, such as decomposition, abstraction, pattern recognition, and algorithms, to develop effectively. This finding is further reinforced by the results shown in Table 2, which indicate that all aspects of CT ability improved in the experimental and control groups. However, the increase in CT ability in the control group was lower and less consistent. This suggests that providing students with opportunities to solve mathematical problems using Flowgorithm effectively strengthens their CT ability, as they can directly practice CT concepts (basic sequences, loops, iterations, conditionals, functions, and variables) as tools for solving mathematical problems

By engaging in mathematical problem-solving activities using Flowgorithm, students are exposed to various elements that contribute to CT development, such as task contextualization, collaborative learning, and scaffolding in programming tasks (Sue Sentance & Csizmadia, 2016). Students also learn to recognize patterns, decompose problems, abstract information, and construct algorithms to solve mathematical problems (Miller, 2019). Flowgorithm allows students to construct algorithms more effectively than visual or text-based programming environments (Gajewski & Smyrnova-Trybulska, 2018). In contrast, students in the control class were not engaged in problem-solving activities using Flowgorithm as an information processing tool. This makes it more difficult for students to develop CT skills and solve problems effectively (Veerasamy et al., 2018). Furthermore, the absence of Flowgorithm-based problem-solving activities limits students' opportunities to enhance their metacognitive skills (Abdullah et al., 2017).

The findings of this study align with previous research, which indicates that integrating programming activities into mathematics learning can enhance students' CT abilities (Chan et al., 2022; S Sentance & Csizmadia, 2017). Various programming applications have been employed in prior studies, including Scratch (Maraza-Quispe et al., 2021; Park & Shin, 2022; Rodríguez-Martínez et al., 2020), MateFun (Cameto et al., 2019; Carboni et al., 2018), Visual Block Editor (Iwamoto & Matsumoto, 2019), virtual robots (Yuana et al., 2015), and Code.org (Oluk & Cakır, 2021). Regarding mathematics learning in junior high schools, programming integration is predominantly characterized by visual or block-based programming approaches (Karaliopoulou et al., 2018; Ye et al., 2023; Yi & Lee, 2018). The primary distinction between this study and previous research lies in the use of Flowgorithm, which emphasizes the transition from visual to text-based programming. This approach better prepares students for text-based programming environments, as proposed by Weintrop and Wilensky (2017). Thus, this study's findings complement previous research by demonstrating that the integration of hybrid programming applications, such as Flowgorithm, in mathematics learning can significantly enhance the CT abilities of junior high school students, similar to the effects observed with visual-based programming. Moreover, this study provides additional insights into the

effectiveness of programming integration in mathematics learning in regular and formal schools with strong Islamic characteristics.

Different findings emerged from further tests on the aspect of problem-solving ability. Although the average problem-solving ability score in classes that integrated Flowgorithm into mathematics learning (M = 27.00) was higher than in mathematics classes that did not use Flowgorithm (M = 22.857). The effect size ($\eta \rho^2 = 0.069$) reached the "medium" category, and the MANCOVA post hoc test results yielded an F value of 2.219 and a significance level of $\rho = 0.147$. This indicates no significant difference in students' mathematical problemsolving abilities between classes that used Flowgorithm and those that did not. As shown in Table 2, scores increased across all problem-solving indicators in both the control and experimental groups. However, the improvements were relatively small. For example, in the indicator "Determining the points passed by the line if the gradient is known," scores only increased from 0.5 to 2.5, suggesting that students struggle with questions requiring high-level thinking skills. This finding is not consistent with the results of previous studies. Robins et al. (2003), Ye et al. (2023), Costa et al. (2017), and Spencer et al. (2023) found that programming activities in mathematics learning have a significant effect on students' mathematical problem-solving abilities. The discrepancy in findings is likely due to differences in the complexity of the material addressed in the studies. While the present study focused on relatively simple material, Spencer et al. (2023) utilized more complex problem-solving tasks.

Although no significant effect was found, the results of this study demonstrated that using flow Algorithms in mathematics learning did not produce any negative impact. The effect size of using flow algorithms on problem-solving ability ($\eta \rho^2 = 0.069$) falls within the moderate category. While a positive effect was observed, it did not reach statistical significance. Another factor worth considering is analyzing the percentage of respondents based on the answer criteria using the CRI, as shown in Table 3. In the experimental group, 23.75% of students answered correctly with high confidence, compared to only 12.50% in the control group. Additionally, Table 3 indicates that the experimental group exhibited fewer misconceptions (28.75%) than the control group (30.36%). These findings suggest that, despite the lack of statistical significance, using the Flowgorithm in the experimental group supported a deeper understanding of mathematical concepts and helped reduce misconceptions. Mathematical problem-solving activities using Flowgorithm provide a dynamic and interactive learning environment, allowing students to apply mathematical concepts more practically (Grover et al., 2015). Moreover, students can visualize abstract mathematical ideas, experiment with different solutions, and receive immediate feedback, which fosters a deeper understanding of the material (Witherspoon et al., 2017).

Based on the findings above, the Flowgorithm did not produce any negative effects; instead, it provided the advantage of introducing the concept of computational thinking (CT) earlier. This finding creates opportunities for a cross-disciplinary approach integrating CT concepts with mathematics learning. Training and dissemination of CT integration in mathematics education are necessary to ensure that mathematics teachers develop their CT skills and ability to integrate CT into their teaching practices. This is essential because the responsibility for fostering students' CT skills should not be solely that of informatics teachers. Integrating programming activities into mathematics learning can help students better understand mathematical logic and algorithms. Teachers can utilize Flowgorithm to create more interactive learning environments and reduce the risk of misconceptions. Education policymakers should consider integrating programming activities into the mathematics curriculum as a strategic effort to develop 21st-century skills such as computational thinking. Further research is needed to compare various programming approaches—block-based, text-based, or hybrid—to identify which form is most suitable for integrating into junior high school

mathematics learning. Such research will provide valuable insights into the strengths and weaknesses of each programming approach. Additionally, future studies should explore the effects of CT integration on other mathematical abilities, such as reasoning, communication, and mathematical connections.

CONCLUSION

The effect of integrating programming activities in mathematics learning through Flowgorithm was examined. The findings showed a significant difference in the impact of the Flowgorithm on CT abilities and students' mathematical problem-solving abilities after controlling for pre-test covariates. A significant difference was noted in the influence of the Flowgorithm on CT abilities, while no significant impact was found on mathematical problem-solving abilities. Furthermore, no negative effects were identified from the utilization of Flowgorithm. The effect size was positive and classified as "large". The explicit introduction of CT concepts through learning and providing ample opportunities for students in mathematical problem-solving using CT concepts successfully empowered students' computational thinking optimally.

ACKNOWLEDGMENT

We want to thank the MTS Mambaus Sholihin Jembrana and MTs Kalifa Nusantara, who accepted a part in this research. Our sincere thanks also go to LPDP (Indonesia Endowment Fund for Education) of the Ministry of Finance, Republic of Indonesia, for funding this research.

BIBLIOGRAPHY

- Abdullah, A. H., Rahman, S. N. S. A., and Hamzah, M. H. (2017). Metacognitive Skills of Malaysian Students in Non-Routine Mathematical Problem Solving. *Bolema Boletim De Educação Matemática*, 31(57), 310–322. https://doi.org/10.1590/1980-4415v31n57a15
- Brennan, K., & Resnick, M. (2012). New frameworks for studying and assessing the development of computational thinking. *In Proceedings of the 2012 annual meeting of the American educational research association*, 1, 25). Retrieved from https://scratched.gse.harvard.edu/ct/files/AERA2012.pdf
- Cameto, G., Carboni, A., Koleszar, V., Méndez, M., Tejera, G., Viera, M., and Wagner, J. (2019). Using functional programming to promote math learning. *Proceedings 14th Latin American Conference on Learning Technologies, LACLO 2019*, 306–313. https://doi.org/10.1109/LACLO49268.2019.00059
- Carboni, A., Koleszar, V., Tejera, G., Viera, M., and Wagner, J. (2018). MateFun: Functional Programming and Math with Adolescents. *Proceedings 2018 44th Latin American Computing Conference, CLEI 2018*, 849–858. https://doi.org/10.1109/CLEI.2018.00106
- Chan, S. W., Looi, C.-K., Ho, W. K., and Kim, M. S. (2022). Tools and Approaches for Integrating Computational Thinking and Mathematics: A Scoping Review of Current Empirical Studies. *Journal of Educational Computing Research*. https://doi.org/10.1177/07356331221098793
- Chiang, F. K., Zhang, Y., Zhu, D., Shang, X., & Jiang, Z. (2022). The influence of online STEM education camps on students' self-efficacy, computational thinking, and task value. *Journal of science education and technology*, 31(4), 461-472. https://doi.org/10.1007/s10956-022-09967-y
- Costa, E. J. F., Campos, L. M. R. S., and Guerrero, D. D. S. (2017). Computational thinking in mathematics education: A joint approach to encourage problem-solving ability. *Proceedings* Frontiers in Education Conference, FIE, 2017-Octob, 1–8.

- https://doi.org/10.1109/FIE.2017.8190655
- Gajewski, R. R., and Smyrnova-Trybulska, E. (2018). Algorithms, programming, flowcharts and flowgorithm. *E-Learning and Smart Learning Environment for the Preparation of New Generation Specialists*, 393–408. Retrieved from http://www.studio-noa.pl/ig/pub/us/E-l-10/10-393.pdf
- Gignac, G. E., and Szodorai, E. T. (2016). Effect size guidelines for individual differences researchers. *Personality and Individual Differences*, 102, 74–78. https://doi.org/https://doi.org/10.1016/j.paid.2016.06.069
- Goldenberg, E. P., & Carter, C. J. (2021). Programming as a language for young children to express and explore mathematics in school. *British Journal of Educational Technology*, 52(3), 969-985. https://doi.org/10.1111/bjet.13080
- Grover, S., Pea, R., and Cooper, S. (2015). Designing for deeper learning in a blended computer science course for middle school students. *Computer Science Education*, 25(2), 199–237. https://doi.org/10.1080/08993408.2015.1033142
- Haseski, H. İ., Ilic, U., and Tugtekin, U. (2018). Defining a New 21st Century Skill-Computational Thinking: Concepts and Trends. *International Education Studies*. https://doi.org/10.5539/ies.v11n4p29
- Hoyles, C., and Noss, R. (2015). A Computational Lens on Design Research. *ZDM*, 47, 1039–1045. https://doi.org/10.1007/s11858-015-0731-2
- Hooshyar, D., Ahmad, R. B., Yousefi, M., Yusop, F. D., & Horng, S. J. (2015). A flowchart-based intelligent tutoring system for improving problem-solving skills of novice programmers. *Journal of computer assisted learning*, 31(4), 345-361. https://doi.org/10.1111/jcal.12099
- Irawan, E., Rosjanuardi, R., and Prabawanto, S. (2024). Research trends of computational thinking in mathematics learning: A bibliometric analysis from 2009 to 2023. *Eurasia Journal of Mathematics, Science and Technology Education*, 20(3), em2417. https://doi.org/https://doi.org/10.29333/ejmste/14343
- Iwamoto, T., and Matsumoto, S. (2019). Development of Web-Based Programming Learning Support System with Graph Drawing of Mathematics as a Learning Task. *Proceedings 2019 8th International Congress on Advanced Applied Informatics, ILAI-AAI 2019*, 302–305. https://doi.org/10.1109/IIAI-AAI.2019.00067
- Karaliopoulou, M., Apostolakis, I., and Kanidis, E. (2018). Perceptions of Informatics Teachers Regarding the Use of Block and Text Programming Environments. *European Journal of Engineering and Technology Research*. https://doi.org/10.24018/ejers.2018.0.cie.638
- Maraza-Quispe, B., Sotelo-Jump, A. M., Alejandro-Oviedo, O. M., Quispe-Flores, L. M., Cari-Mogrovejo, L. H., Fernandez-Gambarini, W. C., and Cuadros-Paz, L. E. (2021). Towards the Development of Computational Thinking and Mathematical Logic through Scratch. *International Journal Of Advanced Computer Science And Applications*, 12(2), 332–338. https://dx.doi.org/10.14569/IJACSA.2021.0120242
- Maryati, S., Lestarika, L., Idi, A., and Tri Samiha, Y. (2023). Madrasah as an Institution of Islamic Education and Social Change. Jurnal Konseling Pendidikan Islam, 4(2), 317–326. https://doi.org/10.32806/jkpi.v4i2.11
- Miller, J. (2019). STEM education in the primary years to support mathematical thinking: using coding to identify mathematical structures and patterns. *ZDM-MATHEMATICS EDUCATION*, *51*(6), 915–927. https://doi.org/10.1007/s11858-019-01096-y
- Miterianifa, M., Ashadi, A., Saputro, S., and Suciati, S. (2021). Higher Order Thinking Skills in the 21st Century: Critical Thinking. https://doi.org/10.4108/eai.30-11-2020.2303766
- Montiel, H., & Gomez-Zermeño, M. G. (2021). Educational challenges for computational thinking in k–12 education: A systematic literature review of "scratch" as an innovative

- programming tool. Computers, 10(6), 69. https://doi.org/10.3390/computers10060069
- Oluk, A., and Çakır, R. (2021). The Effect of Code. Org Activities on Computational Thinking and Algorithm Development Skills. *Journal of Teacher Education and Lifelong Learning*, 3(2), 32–40. https://doi.org/10.51535/tell.960476
- Park, Y., and Shin, Y. (2022). Text Processing Education Using a Block-Based Programming Language. *Ieee Access*. https://doi.org/10.1109/access.2022.3227765
- Robins, A., Rountree, J., and Rountree, N. (2003). Learning and Teaching Programming: A Review and Discussion. *Computer Science Education*. https://doi.org/10.1076/csed.13.2.137.14200
- Rodríguez-Martínez, J. A., González-Calero, J. A., and Sáez-López, J. M. (2020). Computational thinking and mathematics using Scratch: an experiment with sixth-grade students. *Interactive Learning Environments*, 28(3), 316–327. https://doi.org/10.1080/10494820.2019.1612448
- Román-González, M., Pérez-González, J. C., & Jiménez-Fernández, C. (2017). Which cognitive abilities underlie computational thinking? Criterion validity of the Computational Thinking Test. *Computers in human behavior*, 72, 678-691. https://doi.org/10.1016/j.chb.2016.08.047
- Selby, C., and Woollard, J. (2014). Refining an understanding of computational thinking. eprints.soton.ac.uk. https://eprints.soton.ac.uk/372410
- Sentance, S, and Csizmadia, A. (2017). Computing in the curriculum: Challenges and strategies from a teacher's perspective. In *Education and Information Technologies*. Springer. https://doi.org/10.1007/s10639-016-9482-0
- Sentance, S, and Csizmadia, A. (2016). Computing in the Curriculum: Challenges and Strategies From a Teacher's Perspective. *Education and Information Technologies*, 22(2), 469–495. https://doi.org/10.1007/s10639-016-9482-0
- Seehorn, D., Carey, S., Fuschetto, B., Lee, I., Moix, D., O'Grady-Cunniff, D., and Verno, A. (2011). CSTA K--12 Computer Science Standards: Revised 2011. ACM.
- Spencer, D., Mark, J., Reed, K., Goldenberg, P., Coleman, K., Chiappinelli, K., and Kolar, Z. (2023). Using Programming to Express Mathematical Ideas. *Mathematics Teacher: Learning and Teaching PK-12, 116*(5), 322–329. https://doi.org/https://doi.org/10.5951/MTLT.2022.0354
- Stephen, J. S., and Rockinson-Szapkiw, A. J. (2021). A high-impact practice for online students: the use of a first-semester seminar course to promote self-regulation, self-direction, online learning self-efficacy. *Smart Learning Environments*, 8(1), 6. https://doi.org/https://doi.org/10.1186/s40561-021-00151-0
- Tsarava, K., Moeller, K., Román-González, M., Golle, J., Leifheit, L., Butz, M. V., and Ninaus, M. (2022). A cognitive definition of computational thinking in primary education. Computers & Education, 179, 104425. https://doi.org/10.1016/j.compedu.2021.104425
- Varela, C., Rebollar, C., Garcia, O., Bravo, E., and Bilbao, J. (2019). Skills in computational thinking of engineering students of the first school year. *HELIYON*, *5*(11). https://doi.org/10.1016/j.heliyon.2019.e02820
- Veerasamy, A. K., D'Souza, D., Lindén, R., and Laakso, M. (2018). Relationship Between Perceived Problem-solving Skills and Academic Performance of Novice Learners in Introductory Programming Courses. *Journal of Computer Assisted Learning*, 35(2), 246–255. https://doi.org/10.1111/jcal.12326
- Weintrop, D. (2015). Comparing Text-Based, Blocks-Based, and Hybrid Blocks/Text Programming Tools. https://doi.org/10.1145/2787622.2787752
- Weintrop, D., and Wilensky, U. (2017). Comparing block-based and text-based programming in high school computer science classrooms. *ACM Transactions on Computing Education* (TOCE), 18(1), 1–25. https://doi.org/https://doi.org/10.1145/3089799
- Witherspoon, E. B., Higashi, R. M., Schunn, C. D., Baehr, E. C., and Shoop, R. (2017).

- Developing Computational Thinking through a Virtual Robotics Programming Curriculum. *ACM Transactions on Computing Education*, 18(1). https://doi.org/10.1145/3104982
- Xu, Z., Ritzhaupt, A. D., Tian, F., and Umapathy, K. (2019). Block-based versus text-based programming environments on novice student learning outcomes: a meta-analysis study. Computer Science Education, 29(2–3), 177–204. https://doi.org/10.1080/08993408.2019.1565233
- Yadav, A., Gretter, S., Hambrusch, S., and Sands, P. (2016). Expanding computer science education in schools: understanding teacher experiences and challenges. Computer Science Education, 26(4), 235–254. https://doi.org/10.1080/08993408.2016.1257418
- Ye, H., Liang, B., Ng, O. L., and Chai, C. S. (2023). Integration of computational thinking in K-12 mathematics education: A systematic review on CT-based mathematics instruction and student learning. *International Journal of STEM Education*, 10(1), 3. https://doi.org/10.1186/s40594-023-00396-w
- Ye, Huiyan, Ng, O.-L., and Cui, Z. (2023). Conceptualizing Flexibility in Programming-Based Mathematical Problem-Solving. *Journal of Educational Computing Research*. https://doi.org/10.1177/07356331231209773
- Yi, S., and Lee, Y.-J. (2018). An Educational System Design to Support Learning Transfer From Block-Based Programming Language to Text-Based Programming Language. *International Journal on Advanced Science Engineering and Information Technology*. https://doi.org/10.18517/ijaseit.8.4-2.5735
- Yuana, R. A., Faisal, M., Pangestu, D., and Putri, Y. R. L. (2015). Math thematic learning through the introduction of basic science-based programming games virtual robot for high school students. Advanced Science Letters, 21(7), 2235–2238. https://doi.org/10.1166/asl.2015.6318
- Zeng, Y., Yang, W., and Bautista, A. (2023). Teaching programming and computational thinking in early childhood education: a case study of content knowledge and pedagogical knowledge. Frontiers in Psychology, 14, 1252718. https://doi.org/10.3389/fpsyg.2023.1252718
- Zhang, J. H., Meng, B., Zou, L. C., Zhu, Y., & Hwang, G. J. (2021). Progressive flowchart development scaffolding to improve university students' computational thinking and programming self-efficacy. *Interactive Learning Environments*, 31(6), 3792–3809. https://doi.org/10.1080/10494820.2021.1943687